

() HMB SIGNAAL audio visuele oplossingen

## VIA GO<sup>2</sup>

Compact & Secure 4K Wireless Presentation Device



VIA GO<sup>2</sup> gives iOS, Android, Chromebook, PC, and Mac users instant wireless connectivity with 4K advanced presentation capabilities. The product features content streaming with crystal-clear mirrored images and stunning video playback and includes iOS mirroring via AirPlay<sup>™</sup>, Windows & Android mirroring via Miracast<sup>™</sup>, as well as ChromeBook mirroring. VIA GO<sup>2</sup> is super-compact (7x7cm) and flexible to install with both built-in Wi-Fi and LAN connectivity and includes industry-leading 1024-bit encryption for secure use on the internal network

## FEATURES

Quick and Reliable Wireless Connectivity - A simple and intuitive user interface enables iOS, Android, Chromebook, PC, and Mac device users to instantly connect to a main display without a dongle. 2.4GHz/5GHz Wi-Fi and MIMO antennas establish and maintain a fast and reliable connection

High Quality Video Streaming - Supports up to 4K@30Hz resolution (using the VIA app Multimedia feature)

Simultaneous Display - Two participants can simultaneously present content on main display VIA Product Integration - Seamlessly compatible with VIA Site Management (VSM) Software & VIA Pad

Easy and Flexible Installation - With a super-compact 7x7cm form factor, it can be discreetly installed on the back of a display, projector or almost anywhere



## **TECHNICAL SPECIFICATIONS**

Ports	1 Ethernet: On an RJ-45 connector
	1 USB 3.0: On a female USB type-A connector
	1 USB 2.0: On a female USB type-A connector
Outputs	1 HDMI: On a female HDMI connector
Video	Max Resolution: 4K@30Hz
General	Processor: Intel® Gemini Lake SOC
	Main Memory: 4GB LPDDR4 (2400)
	Storage: 32GB eMMC
	Networking: 802.11 ac/b/g/n dual band Wireless LAN and Bluetooth 4.1
	Operating System: Linux
Power	Source: 12V DC
	Consumption: 2A
Environmental Conditions	Operating Temperature: 0° to +40°C (32° to 104°F)
	Storage Temperature: −40° to +70°C (−40° to 158°F)
	Humidity: 10% to 90%, RHL non-condensing
Regulatory Compliance (Standards Compliance)	Safety: CE
Enclosure	Cooling: Fan with sink
Accessories	Included: Power adapter
Product Dimensions	7.00cm x 7.00cm x 3.34cm (2.76" x 2.76" x 1.31" ) W, D, H
Product Weight	0.4kg (0.9lbs) approx
Shipping Dimensions	15.20cm x 12.00cm x 8.50cm (5.98" x 4.72" x 3.35" ) W, D, H
Shipping Weight	0.9kg (2.0lbs) approx



## Contactinformatie

Groningen 050 311 0003 info@hmb-signaal.nl

Koningsweg 25, 9731 APNeem voor verdere vragen contact op met<br/>HMB Signaal. Of neem een kijkje op de<br/>website:050 311 0003website:info@hmb-signaal.nlwww.hmbsignaal.nl

